



**FOR IMMEDIATE RELEASE**

Contact: Ariel Azzara  
Passive Plus, Inc.  
PH: 631 425-0938 Fax: 631 425-0847  
Email: [aazzara@passiveplus.com](mailto:aazzara@passiveplus.com)  
[www.passiveplus.com](http://www.passiveplus.com)

**PASSIVE PLUS, INC. OFFERS HI-Q /LOW ESR CAPACITORS  
IN LARGER CASE SIZES**

[www.passiveplus.com](http://www.passiveplus.com)

**Huntington, New York – April 2017**

Passive Plus, Inc. (PPI) offers a line of Hi-Q Capacitors available in **5 larger case sizes**:

**2225 P/C series:**

Size: .220" x .250"  
Value Range: 0.5pF – 2700pF  
WVDC: 3600V  
TC: 0 +/- 30 PPM/°C (NPO)

**3838 P/C series:**

Size: .380" x .380"  
Value Range: 0.5pF – 5100pF  
WVDC: 7200V  
TC: 0 +/- 30 PPM/°C (NPO)

**1313 C series:**

Size: 1.30" x 1.30"  
Value Range: 200pF - .12µF  
WVDC: 10000V  
TC: 0 +/- 30 PPM/°C (NPO)

**6040 C series:**

Size: .600"x.400"  
Value Range: 1pF -6800pF  
WVDC: 8000V  
TC: 0 +/- 30 PPM/°C (NPO)

**7676 C series:**

Size: .760" x .760"  
Value Range: 1pF -20,000pF  
WVDC: 8000V  
TC: 0 +/- 30 PPM/°C (NPO)

Specifically produced for high power / high frequency requirements, these products are available in surface mount or leaded configurations that are 100% RoHS compliant and are also available in a Non-magnetic termination.

With over 30 years in the RF/Microwave industry, Passive Plus, Inc. manufactures high quality, high power passive components using state-of-the-art manufacturing techniques. Specializing in Magnetic & Non-Magnetic HI-Q Capacitors product lines, PPI supplies reliable quality components to the Military, Medical, Semiconductor, Broadcast and Telecommunications Industries.

Contact Passive Plus directly at (631) 425-0938 or [sales@passiveplus.com](mailto:sales@passiveplus.com) for quotes, pricing, orders, custom assembly requests or specific engineering questions.

2225    3838    6040    7676    1313

- High Power Capacitors    • Up to 25kV    • NPO
- Values: 1pF - 120,000pF    • High Current

**THE BEAST**

**NEW**

- Size: 1.30" x 1.30" x .185"
- 30-40 Amps @ 40MHz
- WVDC: 10KV
- Q > 10,000 • NPO

###

If you would like more information about this topic, please call (631) 425-0938  
or e-mail [sales@passiveplus.com](mailto:sales@passiveplus.com).